

# AMAGER BIO



Welcome to Amager Bio, a former cinema. And since 1997 a 1300 capacity venue in Copenhagen with a wide performance area and warm wooden floor to embrace many types of concerts and events. On the following pages you will find the info you need to get the advance started.

Page 2:	Venue info
Page 3:	Driving instructions & parking
Page 4:	General venue specifications
Page 5:	Safety & merchandise
Page 6-7:	Dressing rooms
Page 7:	Map / Amager Bio from above
Page 8:	Sound
Page 9:	Patch plan for lights

## VENUE INFO

Adress	AMAGER BIO Øresundsvej 6, 2300 Copenhagen S
Load in address	Strickersvej 7, 2300 Copenhagen S (behind venue)
WEB	<a href="http://www.amagerbio.dk">http://www.amagerbio.dk</a>
Phone	+45 32 86 08 80
Capacity	1300 standing: 1000 on floor // 300 on balcony 705 seated: 577 on floor // 128 on balcony (including guestlist)
Timings	On show day the production can last a maximum of 10 hours from load in. Additional hours are settled according to the contract.
Curfew	Stage curfew is 23:00. Dressing rooms and showers will be closed 1 hour after show end and all vehicles have to leave immediately.
Venue promoter	Per Abildtrup <a href="mailto:per@amagerbio.dk">per@amagerbio.dk</a>
Venue rental	Kim Alex Grøndahl <a href="mailto:kim@amagerbio.dk">kim@amagerbio.dk</a>
Production manager	Signe Andersen <a href="mailto:signe@amagerbio.dk">signe@amagerbio.dk</a>
Technical manager	Kim Khan <a href="mailto:khan@elektrometer.dk">khan@elektrometer.dk</a>

## DRIVING INSTRUCTIONS & PARKING

Go to: Strickersvej 7, 2300 Copenhagen S  
55°39'27.3"N 12°36'34.9"E

24 mtrs locked parking. Shore power: 16A / 32A  
Parking must be agreed in advance as the parking lot is a locked area. Parking is possible from 9:00 AM until 30 minutes after loadout. Please pay attention to the times as they're strict with no exceptions. To park overnight before or after show is not an option. We're located in a residential area - keep all kinds of noise to a minimum and respect our neighbors.



Scan for directions.  
Google maps.

**Important!** According to Danish law idling is not allowed for longer than 1 minute. All engines must be switched off completely. Diesel heaters during parking are not permitted. We provide power for the bus.

Parking and load-in/out directions (approx. 35 mtrs.)



## GENERAL VENUE SPECIFICATIONS

Stage size	W: 16 m x D: 6 m x H: 1,1 m incl. wings
Performance area	W: 12 m x D: 6 m x H: 1,1 m
Cleareance	5,5 m
Storage	Limited storage. Dead cases may have to go back on truck.
Power for sound	1 x 63 amp (3 phase)
Power for light	2 x 63 amp (or 1x 125A) for guest power. (3 phase)
MON	At SL. Openers usually mixes MON from FOH
FOH	13 mtrs. from front of stage – out of center (HL). Surrounded by barrier.
Rigging	Rigging not possible. Lights can bring in floor-production only
Backdrop	Motorrised backdroppipe (max size: 5x12meters/130 kg)
FX	Pyro, confetti and open flames are prohibited in Amager Bio including candles, incense etc. This also includes the backstage area. Use of blood or similar theatrical effects is prohibited.
dB(A) limits	101 dB(A) LEQ15. Will be measured from FOH (10EaZy)
Cat & DMX	Guest lines are available for both light and sound within reason
WL + DJ	Note that we do not have WL mics nor DJM and turntables inhouse.
Laser	If laser is a part of the show, we must be advised in advance.
Internet	Wifi Password will be given upon arrival, wired internet is available.
Smoking	It is not allowed to smoke anywhere inside Amager Bio incl. electronic cigarettes. If the fire alarm is triggered by smoking, evacuation starts automatically and entails an artist cost of 8000 dkk.
M&G / VIP	If this includes opening doors for guests before announced timings for GA's there's a fee added for security etc. Please advise.
Load out	Load out takes place through merchandise area which means that merchandise sales and guests queueing must stop before loading the truck.

## MERCHANDISE

In foyer. Well-lit area of 10 m<sup>2</sup> (2,5 x 4m) floor space with a total length of 3,6 m. table and 1 power outlet. No fee, artist sells. Don't ship outside of showday.



## SAFETY

- |                   |   |
|-------------------|---|
| Show Stop/Break   | Venue manager have the exclusive right to break or stop the show in case of danger or to avoid accidents.   |
| Barriers          | Mojo type (rental). Venue has the right to demand use of mojo according to an evaluation of safety for the specific event. At concerts with standing audience with more than 700 guests, mojo is mandatory.       |
| Crowd surfing     | Due to safety and lack of space in the pit it's not allowed to crowd surf in Amager Bio. Don't encourage the audience to do so as they will be dismissed from the venue for not following security's instructions |
| Security briefing | Usually takes place 15 mins prior to doors between venue manager, local PM, head of security and band TM/PM   |

## DRESSING ROOMS

Ground level, right behind stage  
- Dressing room 1 + 2

Two (2) smaller rooms with couches, a few chairs, fridge, large mirror (1) and make-up-mirror suitable for about 5-6 ppl. each and shared showers (2) and toilet (1)



1<sup>st</sup> floor - Catering kitchen

Suitable for 18 ppl. seated.  
Oven, fridge, ceramics,  
silverware, glasses etc.



## Amager Bio venue specifications 2025

COPENHAGEN DK, vers.: 10.02.25


### 1<sup>st</sup> floor - Tour production office

Suitable for 4-5 seated ppl., work table, two soft chairs and 1 small fridge.



### 1<sup>st</sup> floor – Dressing room 3

Suitable for up to 10 ppl. with couch, table w. chairs, make-up mirror, large mirror, fridge, 1 toilet, 1 shower.



## TECHNICAL SPECIFICATIONS / SOUND & LIGHT

FOH	01 x Midas HD96-24. 72 in / 24 out + local I/O 06 x L-acoustics KUDO on each side (hanging) 03 x L-acoustics SB28 SUBs on each side (Small end-fire) 07 x L-acoustics LA8 04 x L-acoustics 115xt frontfills 08 x L-acoustics 5xt under balcony 04 x L-acoustic 5xt / Lipfills on request for non-rock 'n roll shows
FX	01 x Bricasti M7 01 x TC 2290 delay
Monitors	01 x Midas HD96-24. 72 in / 24 out + Local I/O 14 x L-acoustics X15 05x L-acoustics LA12X - total of 10 mixes incl cue 01 x RCF 18" selfpowered drums sub 1000w 01x Sidefill L-acoustic 1x ARCS/SB218 pr side. Please advise..
Microphones	02 x Shure B 52 02x Audix D6 02 x Shure Beta 91 05 x Shure SM 58 07 x Shure SM 57 03 x Shure Beta 56 05 x Shure Beta 58 04 x Shure SM 81 04 x AKG 535 07 x Sennheiser 604 03 x Sennheiser 521 16 x BSS AR-133 Active DI
Lights	01 x AVOLITE Tiger Touch 2 w. wing 01 x Swefog K1 12 x Chauvet R3 spot 25 ch mode 12 x Chauvet R2 Wash 17 ch mode 05 x SGM X-5 strobes 4 ch mode 08 x Chauvet Strike Array Blinders 10x Prolights ECL Profile FW 08x Prolights ECL Fresnell 2k TW
Screen	01 x Motorized screen – 520 x 425 cm (rental)
Projector	01x Panasonic PT-MZ880BEJ Laser 8000 lumens (rental)



## PATCH PLAN FOR LIGHTS

Rear truss / LX1 Universe 2	06 x Chauvet R2 wash 17 ch mode: 1, 18, 35, 52, 69, 86 06 x Chauvet R3 spot 25 ch mode: 201, 226, 251, 276, 301, 326 04x Chauvet Strike Array Blinders 1 ch mode: 467, 468, 469, 470 03 x SGM X-5 strobes 4 ch mode: 501, 505, 509 01 x basehazer pro 2 ch mode: 475
Mid truss / LX2 Universe 1	06 x Chauvet R2 wash 17 ch mode: 1, 18, 35, 52, 69, 86 06 x Chauvet R3 spot 25 ch mode: 201, 226, 251, 276, 301, 326 04x Chauvet Strike Array Blinders 1 ch mode: 467, 468, 469, 470 02 x SGM X-5 strobes 4 ch mode: 505, 509
Frontlights: LX3 Universe 2	08 x Prolights FW ECL Profile UNO mode: 401 - 408 04x Prolights ECL Fresnel 2K TW 5ch mode: 411, 416, 421, 426,
Houselights: LX4 Universe 2	04x Prolights ECL Fresnel 2K TW 5ch mode: 431, 436, 441, 446 02 x Prolights FW ECL Profile UNO mode: 409, 410 - May be used as bar lights.

